



HILL VIEW SCHOOL

Policy Name:

First Aid Policy 2024

Policy reviewed and adopted by LSC	
Review Frequency	Annually
Last Reviewed	
Next Review	
Responsible	Headteacher

Contents

Title	Pg
Introduction	Error! Bookmark not defined.
Rationale	2
Location of first aid facilities	2
Responsibilities	2
Procedure in case of an accident, injury or illness	3
Learners	4
Dealing with bodily fluids & infectious diseases	6
Medication in school	7
Guidelines for reporting	8
Appendix 1: health protection agency guidelines doe infectious diseases	9
Appendix 2: guidance to staff on particular medical conditions	10

KEY INFORMATION:

Location of nearest A&E department for **HILL VIEW SCHOOL**

Higher Kingston
Yeovil
Somerset
BA21 4AT

Emergency Department: Open 24 hours - 01935 384355

INTRODUCTION

A copy of this policy is available on the school website.

Implementation: It is the responsibility of line managers to ensure that staff members are aware of and understand this policy and any subsequent revisions.

Compliance: This policy complies with all relevant regulations and other legislation as detailed in the Compliance with Regulations & Legislation Statement.

RATIONALE

Hill View School is committed to caring for, and protecting, the health, safety and welfare of its learners, staff and visitors. We confirm our adherence to the following standards at all times:

- To make practical arrangements for the provision of First Aid on our premises, during off-site sport and on school visits.
- To ensure that trained First Aid staff renew, update or extend their HSE approved qualifications at least every three years.
- To have a minimum of two trained First Aiders on site at any one time. Such people will be able to responsibly deliver or organise emergency treatment.
- To ensure that a trained first aider accompanies every off-site visit and activity.
- To record accidents and illnesses appropriately, reporting to Parent Carer Carers and the Health & Safety Executive under the Reporting of Injuries, Diseases and Dangerous Occurrences Regulations (1995).
- To provide accessible first aid kits at various locations on site, along with a portable kit for trips, excursions and sport.
- To record and make arrangements for learners and staff with specific medical conditions.
- To deal with the disposal of bodily fluids and other medical waste accordingly, providing facilities for the hygienic and safe practice of first aid.
- To contact the medical emergency services if they are needed, informing next of kin immediately in such a situation.
- To communicate clearly with learners and staff where they can find medical assistance if a person is ill or an accident has occurred.
- To communicate clearly in writing to Parent Carer Carers or guardians if a child has sustained a bump to the head at school, however minor.

LOCATION OF FIRST AID FACILITIES

The medical room is located along the front of school corridor next to the doors that lead to the DH office. There is an additional space for learners that are feeling unwell next to reception.

The medical room is for first aid treatment and for learner's rest/recover if feeling unwell. The room includes; a bed, first aid supplies, a water supply and sink, an adjacent bathroom and hygiene supplies such as gloves and paper towels.

A portable first aid kit is kept in all classrooms and must be taken with classes on school visits.

RESPONSIBILITIES

Responsibilities of the Trained First Aiders:

- Provide appropriate care for learners or staff who fall ill or sustain an injury;

- Record all accidents on CPOMS
- In the event of any injury to the head, however minor, ensure that a note from the office is sent home to Parent Carer Carers and a copy placed in the learner's file.
- Make arrangements with Parent Carer Carers to collect children and take them home if they are deemed too unwell to continue the school day.
- Inform the appointed person of all incidents where first aid has been administered.
- Responsibilities of the Appointed Person:
- Ensure that all staff and learners are familiar with the school's first aid and medical procedures.
- Ensure that all staff are familiar with measure to provide appropriate care for learners with particular medical needs (e.g. Diabetic needs, Epi-pens, inhalers).
- Ensure that a list is maintained and available to staff of all learners with particular medical needs and appropriate measures needed to care for them.
- Monitor and re-stock supplies and ensure that first aid kits are replenished.
- Ensure that the school has an adequate number of appropriately trained First Aiders.
- Coordinate First Aiders and arrange for training to be renewed as necessary.
- Maintain adequate facilities.
- Ensure that correct provision is made for learners with special medical requirements both in school and off-site visits.
- On a monthly basis, review First Aid records to identify any trends or patterns and report to the Health and Safety committee.
- Fulfil the school's commitment to report to RIDDOR, as described below.
- Contact emergency medical services as required.
- Maintain an up-to-date knowledge and understanding of guidance and advice from appropriate agencies

PROCEDURE IN CASE OF AN ACCIDENT, INJURY OR ILLNESS

A member of staff or learner witnessing an accident, injury or illness should immediately contact a named trained first aider (see above). The school office should be contacted if the location of a trained first aider is uncertain.

Any learner or member of staff sustaining an injury whilst at school should be seen by a first aider who will provide immediate first aid and summon additional help as needed. The learner or member of staff should not be left unattended. The first aider will organise an injured learner's transfer to the medical room if possible and appropriate and to hospital in the case of an emergency.

Parent Carer Carers should be informed as necessary by telephone by the first aider or school secretary. This will be followed up in writing and a record kept at school. A written record of all accidents and injuries is maintained on CPOMS

Contacting Parent Carer Carers:

Parent Carer Carers should be informed by telephone as soon as possible after an emergency or following a serious/significant injury including:

- Head injury (a head injury advice sheet should be given to any learner who sustains a head injury)
- Suspected sprain or fracture
- Following a fall from height
- Dental injury

- Anaphylaxis & following the administration of an Epi-pen
- Epileptic seizure
- Severe hypoglycaemia for learners, staff or visitors with diabetes
- Severe asthma attack
- Difficulty breathing
- Bleeding injury
- Loss of consciousness
- If the learner is generally unwell

Parent Carer Carers can be informed of smaller incidents at the end of the school day by the class teacher.

CONTACTING THE EMERGENCY SERVICES

An ambulance should be called for any condition listed above or for any injury that requires emergency treatment. Any learner taken to hospital by ambulance must be accompanied by a member of staff until a Parent Carer arrives. All cases of a learner becoming unconscious (not including a faint) or following the administration of an Epi-pen, must be taken to hospital.

ACCIDENT REPORTING

“Accident, Incident or Near Miss” must be reported using the CPOMS system and completed for any accident or injury occurring at school or on a school trip. This includes any accident involving staff or visitors. The form must be submitted on the day of the incident and will be monitored by the appointed person as certain injuries require reporting (RIDDOR requirements).

LEARNERS WHO ARE UNWELL IN SCHOOL

Any learner who is unwell cannot be left to rest unsupervised in the medical room. If a learner becomes unwell, a Parent Carer should be contacted as soon as possible by the class teacher, admin office or Senior Leadership Team.

Anyone not well enough to be in school should be collected as soon as possible by a Parent Carer. Staff should ensure that a learner who goes home ill remembers to sign out.

First Aid equipment and materials

The appointed person is responsible for stocking and checking the first aid kits. Staff are asked to notify the appointed person when supplies have been used in order that they can be restocked.

The first aid boxes contain:

- A first aid guidance card
- At least 20 adhesive hypo allergenic plasters (including blue plasters for home economics)
- 4 triangular bandages (slings)
- Safety pins
- Cleaning wipes
- Adhesive tape
- 2 sterile eye pads
- 6 medium sized unmedicated dressings
- 2 large sized unmedicated dressings
- Disposable gloves
- 1 resuscitator

- Yellow clinical waste bag

FIRST AID FOR SCHOOL TRIPS

The trip organiser must ensure that at least one adult accompanying the trip has an appropriate first aid qualification and/or undertake a risk assessment to ensure an appropriate level of first aid cover, with reference to the educational visits policy, which includes further guidance. A First Aid kit for school trips must be collected from the classroom(s) of the learner going on the trip and returned for replenishing on return.

Any accidents/injuries must be reported to the appointed person and to Parent Carers and documented on CPOMS in accordance with this policy. RIDDOR guidelines for reporting accidents must be adhered to. For any major accident or injury, the appropriate health & safety procedure must be followed.

LEARNERS

Learners using crutches or having limited mobility:

Parent Carer Carers must inform the school of the nature of injury and the anticipated duration of immobility. The class teacher will arrange for additional support around site. Information about the condition will be discussed in staff meetings to enable teachers to be fully aware of the learner's needs. Arrangements will be made for the learner to arrive/leave lessons early to allow for a safe transfer around school. Parent Carers must inform the school of any particular difficulties.

EMERGENCY CARE PLANS AND TREATMENT BOXES

The appointed person ensures that staff are made aware of any learner with an emergency care plan. These care plans are displayed in the staff room. A copy is also kept in the medical room. Learners with a serious medical condition will have an emergency care plan drawn up and agreed by the appointed person and Parent Carers. Emergency treatment boxes must always be taken if the learner is out of school. The boxes are kept in the medical room.

LEARNERS WITH MEDICAL CONDITIONS

A list is available of all learners who have a serious allergy or medical condition. This information is useful for lesson planning and for risk assessments prior to a school trip. Please return emergency boxes on completion of the trip. If staff become aware of any condition not on these lists, please inform the appointed person.

DEALING WITH BODILY FLUIDS & INFECTIOUS DISEASES

Dealing with bodily fluids:

In order to maintain protection from disease, all bodily fluids should be considered infected. To prevent contact with bodily fluids the guidelines below should be followed:

- When dealing with any bodily fluids wear disposable gloves.
- Wash hands thoroughly with soap and warm water after the incident.
- Keep any abrasions covered with a plaster.
- Spills of the following bodily fluids must be cleaned up immediately.

Bodily fluids include:

- Blood
- Faeces
- Nasal and eye discharges
- Saliva
- Vomit

Disposable towels should be used to soak up the excess, and then the area should be treated with a disinfectant solution. Never use a mop for cleaning up blood and bodily fluid spillages. All contaminated material should be disposed of in a yellow clinical waste bag (available in all First Aid boxes) then placed in the waste bin in the medical room. Avoid getting any bodily fluids in your eyes, nose and mouth or on any open sores. If a splash occurs, wash the area well with soap and water or irrigate with copious amounts of saline.

INFECTIOUS DISEASES

If a child is suspected of having an infectious disease advice should be sought from the appointed person who will follow the Health Protection Agency guidelines (Appendix 1) to reduce the transmission of infectious diseases to other learners and staff.

MEDICATION IN SCHOOL

Medication in School

The school aims to support as far as possible, and maintain the safety of, learners who require medication during the school day, however, it should be noted that:

- No child should be given any medication without their Parent Carer's written consent.
- No Aspirin products are to be given to any learner at school.
- Parent Carers must be given written confirmation of any medication administered at school, a copy of which will be kept on the learner's file. Proformas for this are available from the school office.
- Children will need to take medication during the school day e.g. antibiotics. However, wherever possible, the timing and dosage should be arranged so that the medication can be administered at home.

NON-PRESCRIPTION MEDICATION

These are only to be administered by the appointed person or a designated person if they have agreed to this extension of their role and have been appropriately trained.

Staff may administer non-prescription medication on a residential school trip provided that written consent has been obtained in advance. Parent Carers are asked to complete a consent form at the start of the academic year to cover the administration of non-prescription medicines when deemed necessary by a school first aider.

All medication administered must be documented, signed for and Parent Carers informed in writing. This may include travel sickness pills or pain relief.

Prescription-Only Medication

Prescribed medicines may be given to a learner by the appointed person or a designated person if they have agreed to this extension of their role and have been appropriately trained. Written consent must be obtained from the Parent Carer or guardian, clearly stating the name of the medication, dose, frequency and length of course.

The school will accept medication from Parent Carers only if it is in its original container. A form for the administration of medicines in school is available from the appointed person.

ADMINISTRATION OF MEDICATION

The medication must be checked before administration by the member of staff confirming the medication name, learner name, dose, time to be administered and the expiry date.

- Wash hands.
- Confirm that the learner's name matches the name on the medication
- Explain to the learner that his or her Parent Carers have requested the administration of the medication.
- Document, date and sign for what has been administered.
- Complete the form which goes back to Parent Carers
- Ensure that the medication is correctly stored in a locked drawer or cupboard, out of the reach of learners.
- Antibiotics and any other medication which requires refrigeration should be stored in the fridge in the staff room. All medication should be clearly labelled with the learner's name and dosage.
- Parent Carers should be asked to dispose of any out of date medication.
- Used needles and syringes must be disposed of in the sharps box kept in the medical room.
- Emergency Medication

It is the Parent Carers' responsibility to inform the school of any long-term medical condition that may require regular or emergency medication to be given. In these circumstances a health care plan may be required and this will be completed and agreed with Parent Carer Carers.

GUIDELINES FOR REPORTING

Guidelines for reporting: RIDDOR (Reporting of Injuries, Diseases and Dangerous Occurrences Regulations 1995)

By law any of the following accidents or injuries to learners, staff, visitors, members of the public or other people not at work requires notification to be sent to the Health and Safety executive by phone, email or letter.

- Major injuries from schedule 1 of the regulations:
- Any fracture, other than to the fingers, thumbs or toes.
- Any amputation.
- Dislocation of the shoulder, hip, knee or spine.
- Loss of sight (whether temporary or permanent)
- A chemical or hot metal burn to the eye or any penetrating injury to the eye.
- Any injury resulting from an electric shock or electrical burn (including any electrical burn caused by arcing or arcing products, leading to unconsciousness or requiring resuscitation or admittance to hospital for more than 24 hours.
- Any other injury leading to hypothermia, heat induced illness or to unconsciousness requiring resuscitation or admittance to hospital for more than 24 hours
- Any other injury lasting over 3 days
- Loss of consciousness caused by asphyxia or by exposure to a harmful substance or biological agent.
- Either of the following conditions which result from the absorption of any

- substance by inhalation, ingestion or through the skin:
- Acute illness requiring medical treatment; or
 - Loss of consciousness
 - Acute illness which requires medical treatment where there is reason to believe that this resulted from exposure to a biological agent or its toxins or infected material.
 - Death
 - A specified dangerous occurrence, where something happened which did not result in an injury, but could have done.

APPENDIX 1: HEALTH PROTECTION AGENCY GUIDELINES DOE INFECTIOUS DISEASES

Illness	PERIOD OF EXCLUSION	COMMENTS
Chickenpox	5 days from onset of rash	Pregnant women up to 20 weeks and those in last 3 weeks of pregnancy should inform their midwife that they have been in contact with chickenpox. Any children being treated for cancer or on high doses of steroids should also seek medical advice.
German Measles	For 5 days from onset of rash	Pregnant women should inform their midwife about contact
Impetigo	Until lesions are crusted or healed	Antibiotic treatment by mouth may speed healing
Measles	5 days from onset of rash	Any children being treated for cancer or on high doses of steroids must seek medical advice
Scabies	Until treatment has been commenced	Two treatments one week apart for cases. Treatment should include all household members and any other very close contacts
Scarlet Fever	5 days after commencing antibiotics	Antibiotic treatment recommended
Slapped Cheek Syndrome	None	Pregnant women up to 20 weeks must inform their midwife about contact
Diarrhoea And Vomiting	48 hours from last episode of diarrhoea or vomiting	Exclusion from swimming may be needed
Hepatitis A	Exclusion may be necessary	Consult the Health Protection Agency
Meningococcal Meningitis	Until recovered	Communicable disease control will give advice on any treatment needed and identify contact requiring treatment. No need to exclude siblings or other close contacts.
Viral Meningitis	Until fully recovered	
Threadworms	None	Treatment is recommended for the learner and family members
Mumps	5 days from onset of swollen glands	
Head Lice	None once treated	Treatment is recommended for the learner and close contacts if live lice are found, "Head Lice Letter" to be sent home
Conjunctivitis	None	Children do not usually need to stay off school with conjunctivitis.
Influenza	Until fully recovered	
Cold Sores	None	Avoid contact with the sores

Warts, Verrucae	None	Verrucae should be covered in situations where shoes and sock are removed
Glandular Fever	None	
Tonsillitis	None	

APPENDIX 2: GUIDANCE TO STAFF ON PARTICULAR MEDICAL CONDITIONS

Guidance to staff on particular medical conditions

- Allergic reactions
- Symptoms and treatment of a mild allergic reaction:
- Rash
- Flushing of the skin
- Itching or irritation

If the learner has a care plan, follow the guidance provided and agreed by Parent Carers. Administer the prescribed dose of antihistamine to a learner who displays these mild symptoms only. Make a note of the type of medication, dose given, date, and time the medication was administered. Complete and sign the appropriate medication forms, as detailed in the policy. Observe the child closely for 30 minutes to ensure symptoms subside.

ANAPHYLAXIS

Symptoms and treatment of Anaphylaxis:

- Swollen lips, tongue, throat or face
- Nettle type rash
- Difficulty swallowing and/or a feeling of a lump in the throat
- Abdominal cramps, nausea and vomiting
- Generalised flushing of the skin
- Difficulty in breathing
- Difficulty speaking
- Sudden feeling of weakness caused by a fall in blood pressure
- Collapse and unconsciousness

When someone develops an anaphylactic reaction the onset is usually sudden, with the above signs and symptoms of the reaction progressing rapidly, usually within a few minutes.

Action to be taken:

1. Send someone to call for a paramedic ambulance and inform Parent Carers. Arrange to meet Parent Carers at the hospital.
2. Send for the named emergency box.
3. Reassure the learner help is on the way.
4. Remove the Epi-pen from the carton and pull off the grey safety cap.
5. Place the black tip on the learner's thigh at right angles to the leg (there is no need to remove clothing).
6. Press hard into the thigh until the auto injector mechanism functions and hold in place for 10 seconds.
7. Remove the Epi-pen from the thigh and note the time.
8. Massage the injection area for several seconds.
9. If the learner has collapsed lay him/her on the side in the recovery position.
10. Ensure the paramedic ambulance has been called.
11. Stay with the learner.
12. Steps 4-8 maybe repeated if no improvement in 5 minutes with a second Epi-pen if you have been instructed to do so by a doctor.

REMEMBER Epi-pens are not a substitute for medical attention, if an anaphylactic reaction occurs and you administer the Epi-pen the learner **MUST** be taken to hospital for further checks. Epi-pen treatment must only be undertaken by staff who have received specific training.

ASTHMA MANAGEMENT

The school recognises that asthma is a serious but controllable condition and the school welcomes any learner with asthma. The school ensures that all learners with asthma can and fully participate in all aspects of school life, including any out of school activities. Taking part in PE is an important part of school life for all learners and learners with asthma are encouraged to participate fully in all PE lessons. Teaching staff will be aware of any child with asthma from a list of learners with medical conditions kept in every classroom and offices. The school has a smoke free policy.

Trigger factors:

- Change in weather conditions
- Animal fur
- Having a cold or chest infection
- Exercise
- Pollen
- Chemicals
- Air pollutants
- Emotional situations
- Excitement

GENERAL CONSIDERATIONS

Learners with asthma need immediate access to their reliever inhaler. Younger learners will require assistance to administer their inhaler. It is the Parent Carers' responsibility to ensure that the school is provided with a named, in- date reliever inhaler, which is kept in the classroom (or with the learner if appropriate), not locked away and always accessible to the learner. Teaching staff should be aware of a learner's trigger factors and try to avoid any situation that may cause a learner to have an asthma attack. It is the Parent Carers' responsibility to provide a new inhaler when out of date. Learners must be made aware of where their inhaler is kept and this medication must be taken on any out of school activities.

As appropriate for their age and maturity, learners are encouraged to be responsible for their reliever inhaler, which is to be brought to school and kept in a school bag to be used as required. A spare named inhaler should be brought to school and given to the class teacher for use if the learner's inhaler is lost or forgotten.

Recognising an asthma attack:

- Learner unable to continue an activity
- Difficulty in breathing
- Chest may feel tight
- Possible wheeze
- Difficulty speaking
- Increased anxiety
- Coughing, sometimes persistently

Action to be taken

1. Ensure that prescribed reliever medication (usually blue) is taken promptly.

2. Reassure the learner.
3. Encourage the learner to adopt a position which is best for them-usually sitting upright.
4. Wait five minutes. If symptoms disappear the learner can resume normal activities.
5. If symptoms have improved but not completely disappeared, inform Parent Carer Carers and give another dose of their inhaler and call the appointed person or a first aider if she not available.
6. Loosen any tight clothing.
7. If there is no improvement in 5-10 minutes continue to make sure the learner takes one puff of their reliever inhaler every minute for five minutes or until symptoms improve.
8. Call an ambulance.
9. Accompany learner to hospital and await the arrival of a Parent Carer.

DIABETES MANAGEMENT

Learners with diabetes can attend school and carry out the same activities as their peers but some forward planning may be necessary. Staff must be made aware of any learner with diabetes attending school.

Signs and symptoms of low blood sugar (hypoglycaemic attack):

This happens very quickly and may be caused by: a late meal, missing snacks, insufficient carbohydrate, more exercise, warm weather, too much insulin and stress. The learner should test his or her blood glucose levels if blood testing equipment is available.

- Pale
- Glazed eyes
- Blurred vision
- Confusion/incoherent
- Shaking
- Headache
- Change in normal behaviour-weepy/aggressive/quiet
- Agitated/drowsy/anxious
- Tingling lips
- Sweating
- Hunger
- Dizzy

Action to be taken:

Follow the guidance provided in the care plan agreed by Parent Carers.

1. Give fast acting glucose-either 50ml glass of Lucozade or 3 glucose tablets. (Learners should always have their glucose supplies with them. Extra supplies will be kept in emergency boxes. This will raise the blood sugar level quickly.
2. This must be followed after 5-10 minutes by 2 biscuits, a sandwich or a glass of milk.
3. Do not send the child out of your care for treatment alone.
4. Allow the learner to have access to regular snacks.
5. Inform Parent Carer Carers.

Action to take if the learner becomes unconscious:

- Place learner in the recovery position and seek the help of the appointed person or a first aider.
- Do not attempt to give glucose via mouth as learner may choke.
- Telephone 999.

- Inform Parent Carer Carers.
- Accompany learner to hospital and await the arrival of a Parent Carer.

Signs and symptoms of high blood sugar (hyperglycaemic attack):

- Hyperglycaemia – develops much more slowly than hypoglycaemia but can be more serious if left untreated. It can be caused by too little insulin, eating more carbohydrate, infection, stress and less exercise than normal.
- Feeling tired and weak
- Thirst
- Passing urine more often
- Nausea and vomiting
- Drowsy
- Breath smelling of acetone
- Blurred vision
- Unconsciousness

Action to be taken:

1. Inform the appointed person or a first aider
2. Inform Parent Carer Carers
3. Learner to test blood
4. Call 999

Epilepsy management: How to recognise a seizure

There are several types of epilepsy but seizures are usually recognisable by the following symptoms:

- Learner may appear confused and fall to the ground.
- Slow noisy breathing.
- Possible blue colouring around the mouth returning to normal as breathing returns to normal.
- Rigid muscle spasms.
- Twitching of one or more limbs or face
- Possible incontinence.

A learner diagnosed with epilepsy will have an emergency care plan.

Action to be taken:

1. Send for an ambulance; if this is a learner's first seizure, if a learner known to have epilepsy has a seizure lasting for more than five minutes or if an injury occurs.
2. If agreed in advance by Parent Carer Carers and their GP.
3. Seek the help of the appointed person or a first aider.
4. Help the learner to the floor.
5. Do not try to stop seizure.
6. Do not put anything into the mouth of the learner.
7. Move any other learners away and maintain learner's dignity.
8. Protect the learner from any danger.
9. As the seizure subsides, gently place them in the recovery position to maintain the airway.
10. Allow patient to rest as necessary.
11. Inform Parent Carer Carers.

12. Call 999 if you are concerned
13. Describe the event and its duration to the paramedic team on arrival.
14. Reassure other learners and staff.
15. Accompany learner to hospital and await the arrival of a Parent Carer.